



MISHIMOTO



ENGINEERING REPORT

2015+ Ford F-150 Radiator | SKU: MMRAD-F150-15

By Daniel Tafe, *Mishimoto Product Engineer*

REPORT AT A GLANCE

- **Goal:** Create a radiator that outperforms the stock unit. The Mishimoto cooler should fit directly into the F-150 without any cutting or modification required.
- **Results:** The Mishimoto radiator increased coolant capacity, fin surface area, and core volume when compared to the stock radiator; 45%, 55%, and 63% respectively. The Mishimoto radiator also kept overall engine temperatures 4°F lower during four back-to-back, 15-minute sweeps on the dyno. The increased core geometry promotes greater heat transfer.
- **Conclusion:** The Mishimoto radiator is a valuable upgrade for F-150 owners who drive their vehicles in hot climates or under extreme conditions. The upgraded heat exchanger helps to ensure coolant temperatures stay at optimal values during all driving conditions.

CONTENTS

PG 1	— DESIGN OBJECTIVES
	— DESIGN AND FITMENT
PG 3	— PERFORMANCE TESTING
PG 4	— CONCLUSION

DESIGN OBJECTIVES

The design requirements assigned to this project are as follows:

- Create a radiator package that reduces fluid temperatures when compared with the stock configuration.
- Must be a direct fit, with no cutting or permanent modification necessary.

DESIGN AND FITMENT

The R&D process began by evaluating the stock system and understanding how Ford chose to package their heat exchangers. Before the core could be increased in size, a general understanding of the allotted space was needed. A bigger size was picked out, seeing that there was a fair amount of room behind the stock fan shroud. Upon removing the upper radiator ducting, it became clear that the engineers at Ford wanted every bit of air to go through the heat exchangers on the front of the vehicle. Because the air ducting up front is very good, the fins and tubes can be spaced more densely than stock. New tube-and-fin spacing, along with the thicker core and more tubes, will allow for better heat transfer.

The Mishimoto radiator increases fluid capacity by 45%. The radiator is much thicker and has more rows, therefore it can hold



FIGURE 1: The F-150 radiator mounted in the truck, showing room behind the radiator.

more fluid. Figure 2 below shows the fluid capacity comparison between both stock radiators and the Mishimoto radiator.




FIGURE 2: The Mishimoto radiator features an increase in coolant capacity, which promotes greater heat transfer.




FIGURE 3: The Mishimoto radiator features an increase in Fin Surface Area, which promotes greater heat transfer.

The Mishimoto radiator also increases fin surface area by 55% when compared to the stock radiator. With the thicker core, more densely packed fins, and more rows, a larger amount of fin surface area can be created. Figure 3 displays this difference between the stock and Mishimoto radiators.

An increase of 63% was seen in core volume when compared to the stock radiator. Figure 4 displays this difference between the stock and Mishimoto radiators. More information on the R&D process for the radiator can be found on the Mishimoto Engineering Blog.




FIGURE 4: The Mishimoto radiator features an increase Core Volume, which promotes greater heat transfer.

PERFORMANCE TESTING

A Ford Raptor (with an exhaust, intercooler pipes, intercooler, and intake) was used for testing. The ambient temperature on the day of testing was approximately 72°F (22.2°C) with 50% humidity. A Dynapack™ dynamometer was used to apply a constant and repeatable load on the vehicle.

To test the performance gains as well as heat-soak of the Mishimoto intercooler, the F-150 Raptor was loaded onto the Dynapack™ and a 15-second sweep test under heavy load was devised. With the truck on the dyno, four consecutive dyno pulls were performed over the same 15-second interval.



FIGURE 5: A Dynapack™ dynamometer was used for vehicle testing.

From testing, it was clear that the Mishimoto radiator outperformed the stock radiator in terms of temperature drop and kept the trucks global coolant temperatures lower. The Mishimoto radiator was able to handle the heat much better than the stock radiator. The coolant system stayed cooler and cooled down faster than the stock setup. The results for temperature drop from testing on a stock tune can be seen in Figure 6 to the right.




FIGURE 6: This is the Mishimoto Radiator vs the Stock Radiator. Notice how the stock outlet rises faster during the dyno pull while the Mishimoto outlet is slower.

CONCLUSION

The larger size and all-aluminum construction allow for lower coolant temperatures and increased strength when compared to the stock radiator. The Mishimoto unit has significant size improvements when compared to both stock radiators.

Daniel Tafe
Product Engineer, Mishimoto Automotive

FOLLOW US

Mishimoto is very active on social media so we can be in constant contact with our customers.

Our Social Media Team is available via Facebook, Instagram, Twitter, YouTube, Google+, our Engineering Blog, and forums. We sponsor contests and promotional events, so be sure to follow us.



GoMishimoto



#Mishimoto



Mishimoto



+Mishimoto



Mishim0t0



Engineering.
Mishimoto.com

CONTACT US

EMAIL

For sales and technical
questions please contact
support@mishimoto.com

BY PHONE

USA: 877.466.4744
International: +1.302.762.4501
Fax: 302.762.4503

MAIL

Mishimoto
18 Boulden Circle, Suite 10
New Castle, DE 19720

VISIT

Mishimoto.com
Mishimoto.co.uk
Mishimoto.eu

